




RSO Northern Lights

Sample ID: 1901CSALA0194.0716
Strain: RSO Northern Lights
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 0 units

Produced: N/A
Collected: 01/11/2019
Received: 01/11/2019
Completed: 01/15/2019
Batch#:

Client
Ricksimpsonoil California
Lic. #
Murrieta, CA 92562



Cannabinoids

Testing method: HPLC-SOP 101

Complete

| Analyte | LOD | LOQ | Mass | Mass |
|--------------|--------|--------|----------------|----------------|
| | % | % | % | mg/g |
| THCa | 0.0000 | 0.0001 | ND | ND |
| Δ9-THC | 0.0000 | 0.0001 | 75.7300 | 757.300 |
| Δ8-THC | 0.0001 | 0.0002 | ND | ND |
| THCV | 0.0001 | 0.0002 | 0.6100 | 6.100 |
| CBDa | 0.0000 | 0.0001 | ND | ND |
| CBD | 0.0000 | 0.0001 | ND | ND |
| CBDV | 0.0001 | 0.0002 | ND | ND |
| CBN | 0.0000 | 0.0001 | 0.6350 | 6.350 |
| CBGa | 0.0001 | 0.0002 | ND | ND |
| CBG | 0.0001 | 0.0002 | 1.9490 | 19.490 |
| CBC | 0.0000 | 0.0001 | 1.2310 | 12.310 |
| Total | | | 80.1550 | 801.550 |

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample;



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Inibong Afia
Executive Lab Director
01/15/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





RSO Northern Lights

Sample ID: 1901CSALA0194.0716
Strain: RSO Northern Lights
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 0 units

Produced: N/A
Collected: 01/11/2019
Received: 01/11/2019
Completed: 01/15/2019
Batch#:

Client
Ricksimpsonoil California
Lic. #
Murrieta, CA 92562

Residual Solvents

| Analyte | LOD | LOQ | Limit | Mass | Status |
|---------------------|-------|----------|----------|------|--------|
| | PPM | PPM | PPM | PPM | |
| 1,2-Dichloro-Ethane | 0.100 | 30.000 | 0.100 | ND | Pass |
| Acetone | 3.800 | 250.000 | 3100.000 | <LOQ | Pass |
| Acetonitrile | 0.500 | 1.000 | 6.000 | ND | Pass |
| Benzene | 0.000 | 12.000 | 0.000 | ND | Pass |
| Butane | 0.800 | 2500.000 | 5000.000 | ND | Pass |
| Chloroform | 0.100 | 360.000 | 0.100 | ND | Pass |
| Ethanol | 3.800 | 2500.000 | 5000.000 | <LOQ | Pass |
| Ethyl-Acetate | 3.800 | 2500.000 | 5000.000 | ND | Pass |
| Ethyl-Ether | 3.400 | 2500.000 | 5000.000 | ND | Pass |
| Ethylene Oxide | 0.200 | 300.000 | 0.200 | ND | Pass |
| Heptane | 4.500 | 2500.000 | 5000.000 | ND | Pass |
| Isopropanol | 4.600 | 100.000 | 320.000 | ND | Pass |
| Methanol | 5.300 | 200.000 | 400.000 | ND | Pass |
| Methylene-Chloride | 0.900 | 2500.000 | 0.900 | ND | Pass |
| n-Hexane | 0.400 | 70.000 | 290.000 | ND | Pass |
| Pentane | 3.900 | 2500.000 | 5000.000 | ND | Pass |
| Propane | 0.300 | 2500.000 | 5000.000 | ND | Pass |
| Toluene | 1.700 | 30.000 | 30.000 | ND | Pass |
| Trichloroethene | 0.100 | 480.000 | 0.100 | ND | Pass |
| Xylenes | 2.400 | 10.000 | 10.000 | ND | Pass |

Date Tested: 01/14/2019
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Iniobong Afia
Executive Lab Director
01/15/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

